

Torx T/R - Flat Head Machine Screw




THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/FINISH	PART NUMBER
4-40	1/4"	T8	STAINLESS STEEL	T0440025FHSS08
	3/8"		STAINLESS STEEL	T0440038FHSS08
	1/2"		STAINLESS STEEL	T0440050FHSS08

6-32	3/8"	T15	ALLOY	T0632038FHAL15
	3/8"		STAINLESS STEEL	T0632038FHSS15
	13/16"		STAINLESS STEEL	T0632041FHSS15
	1/2"		ALLOY	T0632050FHAL15
	1/2"		STAINLESS STEEL	T0632050FHSS15
	3/4"		ALLOY	T0632075FHAL15
	3/4"		STAINLESS STEEL	T0632075FHSS15
	1"		ALLOY	T0632100FHAL15
	1"		STAINLESS STEEL	T0632100FHSS15
	1-1/2"		ALLOY	T0632150FHAL15
1-1/2"	STAINLESS STEEL	T0632150FHSS15		
2"	STAINLESS STEEL	T0632200FHSS15		

8-32	3/8"	T20	ALLOY	T0832038FHAL20
	3/8"		STAINLESS STEEL	T0832038FHSS20
	1/2"		ALLOY	T0832050FHAL20
	1/2"		STAINLESS STEEL	T0832050FHSS20
	5/8"		ALLOY	T0832063FHAL20
	3/4"		ALLOY	T0832075FHAL20
	3/4"		STAINLESS STEEL	T0832075FHSS20
	1"		ALLOY	T0832100FHAL20
	1"		STAINLESS STEEL	T0832100FHSS20
	1"		ALLOY/US4	T0832100FH4U20
	1-1/4"		ALLOY	T0832125FHAL20
	1-1/4"		STAINLESS STEEL	T0832125FHSS20
	1-1/2"		ALLOY	T0832150FHAL20
	1-1/2"		STAINLESS STEEL	T0832150FHSS20
	2"		STAINLESS STEEL	T0832200FHSS20
	2"		ZINC	T0832200FHZN20

10-24	3/8"	T25	ALLOY	T1024038FHAL25
	3/8"		STAINLESS STEEL	T1024038FHSS25
	1/2"		ALLOY	T1024050FHAL25
	1/2"	STAINLESS STEEL	T1024050FHSS25	
	5/8"	STAINLESS STEEL	T1024063FHSS25	
	3/4"	ALLOY	T1024075FHAL25	
	3/4"	T20	STAINLESS STEEL	T1024075FHSS20
	3/4"	T25	STAINLESS STEEL	T1024075FHSS25
	3/4"	T25	ZINC-PLUS 3	T1024075FHZP25
	1"	ALLOY	T1024100FHAL25	
	1"	T20	STAINLESS STEEL	T1024100FHSS20
	1"	STAINLESS STEEL	T1024100FHSS25	
	1-1/4"	ALLOY	T1024125FHAL25	
	1-1/4"	STAINLESS STEEL	T1024125FHSS25	
	1-1/2"	T25	ALLOY	T1024150FHAL25
	1-1/2"	T25	STAINLESS STEEL	T1024150FHSS25
	1-1/2"	T25	ALLOY/US4	T1024150FH4U25
	2"	STAINLESS STEEL	T1024200FHSS25	

Properly measure your Flat Head Machine Screw



Measure from top of head

To bottom of screw

THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/FINISH	PART NUMBER
10-32	3/8"	T25	ALLOY	T1032038FHAL25
	3/8"		STAINLESS STEEL	T1032038FHSS25
	1/2"		ALLOY	T1032050FHAL25
	1/2"		STAINLESS STEEL	T1032050FHSS25
	3/4"		ALLOY	T1032075FHAL25
	3/4"		STAINLESS STEEL	T1032075FHSS25
	3/4"		ALLOY/US4	T1032075FH4U25
	1"		ALLOY	T1032100FHAL25
	1"		STAINLESS STEEL	T1032100FHSS25
	1-1/4"		ALLOY	T1032125FHAL25
	1-1/4"		STAINLESS STEEL	T1032125FHSS25
	1-1/2"		ALLOY	T1032150FHAL25
	1-1/2"		STAINLESS STEEL	T1032150FHSS25

12-24	1/2"	T20	ALLOY/US26D	T1224050FH6D20
	3/4"	T25	ALLOY	T1224075FHSS25
	3/4"		STAINLESS STEEL	T1224075FHSS25
	1"		ALLOY	T1224100FHAL25
	1"		STAINLESS STEEL	T1224100FHSS25
2"	STAINLESS STEEL		T1224200FHSS25	

1/4-20	1/2"	T25	ALLOY	T2520050FHAL25H
	1/2"	T25	STAINLESS STEEL	T2520050FHSS25H
	1/2"	T27	STAINLESS STEEL	T2520050FHSS27
	5/8"	T30	ALLOY	T2520063FHAL30
	5/8"		STAINLESS STEEL	T2520063FHSS30
	3/4"		ALLOY	T2520075FHAL30
	3/4"		STAINLESS STEEL	T2520075FHSS30
	3/4"		ZINC	T2520075FHZN30
	1"		ALLOY	T2520100FHAL30
	1"		STAINLESS STEEL	T2520100FHSS30
	1-1/4"		ALLOY	T2520125FHAL30
	1-1/4"		STAINLESS STEEL	T2520125FHSS30
	1-1/4"		ZINC	T2520131FHZN30
	1-1/2"		ALLOY	T2520150FHAL30
	1-1/2"		STAINLESS STEEL	T2520150FHSS30
	1-3/4"		STAINLESS STEEL	T2520175FHSS30
	1-3/4"		ZINC	T2520175FHZN30
	2"		ALLOY	T2520200FHAL30
	2"		STAINLESS STEEL	T2520200FHSS30
	2"		ZINC	T2520200FHZN30
	2-1/4"		STAINLESS STEEL	T2520225FHSS30
	2-1/2"		STAINLESS STEEL	T2520250FHSS30
	3"		STAINLESS STEEL	T2520300FHSS30

1/4-28	1-3/4"	T30	ZINC	T2528175FHZN30
	1-3/4"	T27	ZINC-PLUS	T2528175FHZP27

More sizes may be available than listed above. Contact a sales rep today for a quote!

Contact Sentry by phone at (888) 693 2646 or by email at Sales@SentrySF.com



SENTRY
Security Fasteners Inc.

Torx T/R - Flat Head Machine Screw




THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/FINISH	PART NUMBER
5/16-18	3/4"	T40	STAINLESS STEEL	T3118075FHSS40
	1"		STAINLESS STEEL	T3118100FHSS40
	1"		ZINC	T3118100FHZN40
	1-1/4"		STAINLESS STEEL	T3118125FHSS40
	1-1/2"		ALLOY	T3118150FHAL40
	1-1/2"		STAINLESS STEEL	T3118150FHSS40
	1-11/16"		ZINC	T3118169FHZN40
	1-3/4"		ALLOY	T3118175FHAL40
	1-3/4"		STAINLESS STEEL	T3118175FHSS40
	2"		STAINLESS STEEL	T3118200FHSS40
	2"		ZINC	T3118200FHZN40
	2-1/2"		STAINLESS STEEL	T3118250FHSS40
	2-1/2"		ZINC	T3118250FHZN40
	3"		STAINLESS STEEL	T3118300FHSS40
3"	ZINC	T3118300FHZN40		

3/8-16	3/4"	T45	STAINLESS STEEL	T3816075FHSS45
	1"		STAINLESS STEEL	T3816100FHSS45
	1"		ZINC	T3816100FHZN45
	1-1/2"		STAINLESS STEEL	T3816150FHSS45
	1-1/2"		ZINC	T3816150FHZN45
	2"		ZINC	T3816200FHZN45
	2-1/2"		STAINLESS STEEL	T3816250FHSS45
	2-1/2"		ZINC	T3816250FHZN45
	3"		STAINLESS STEEL	T3816300FHSS45
	3"		ZINC	T3816300FHZN45

1/2-13	1"	T50	ZINC-PLUS 3	T5013100FHZP50
--------	----	-----	-------------	----------------

Properly measure your Flat Head Machine Screw



Measure from top of head

To bottom of screw

More sizes may be available than listed above. Contact a sales rep today for a quote!
 Contact Sentry by phone at (888) 693 2646 or by email at Sales@SentrySF.com



SENTRY
 Security Fasteners Inc.

version 2.01

Torx T/R - Undercut Flat Head Machine Screw



THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
6-32	3/16"	T10	STAINLESS STEEL	T0632019FHSS10U
	1/4"		ALLOY	T0632025FHAL10U
	1/4"		STAINLESS STEEL	T0632025FHSS10U
	1/4"		ALLOY/US4	T0632025FH4U10U
	1/2"		STAINLESS STEEL	T0632050FHSS10U

8-32	1/4"	T15	ALLOY/US10B	T0832025FH1B15U
	1/4"		ALLOY/US26D	T0832025FH6D15U
	1/4"		ALLOY	T0832025FHAL15U
	1/4"		STAINLESS STEEL	T0832025FHSS15U
	1/4"		ALLOY/US4	T0832025FH4U15U
	3/8"		STAINLESS STEEL	T0832038FHSS15U
	1/2"		STAINLESS STEEL	T0832050FHSS15U

10-24	1/2"	T20	STAINLESS STEEL	T1024050FHSS20U
-------	------	-----	-----------------	-----------------

12-24	1/2"	T20	ALLOY/US10B	T1224050FH1B20U
	1/2"		ALLOY	T1224050FHAL20U
	1/2"		STAINLESS STEEL	T1224050FHSS20U
	1/2"	T25	STAINLESS STEEL	T1224050FHSS25HU
	1/2"	T20	ALLOY/US4	T1224050FH4U20U
	1/2"		ZINC-PLUS 3	T1224050FHZP20U
	1/2"	T25	ZINC-PLUS	T1224050FHZP25HU
	3/4"	T20	STAINLESS STEEL	T1224075FHSS20U
1-1/4"	ALLOY/US26D		T1224125FH6D20U	


1/4-20	3/8"	T27	ALLOY	T2520038FHAL27U
	3/8"		STAINLESS STEEL	T2520038FHSS27U
	3/8"		ZINC	T2520038FHZN27U
	1/2"	T25	ALLOY/US10B	T2520050FH1B25U
	1/2"	T27	ALLOY	T2520050FHAL27U
	1/2"	T25	ALLOY	T2520050FHAL25U
	1/2"	T27	STAINLESS STEEL	T2520050FHSS27U
	1/2"	T25	STAINLESS STEEL	T2520050FHSS25U
	1/2"		ZINC-PLUS 3	T2520050FHZP25U
	1/2"	T27	ZINC-PLUS 3	T2520050FHZP27U
	3/4"	T25	ALLOY/US4	T2520075FH4U25U
	3/4"	T25	ALLOY	T2520075FHAL25U
	3/4"	T27	STAINLESS STEEL	T2520075FHSS27U
	3/4"	T25	ALLOY/US4	T2520075FH4U25U
	3/4"		ZINC-PLUS 3	T2520075FHZP25U
	1-1/2"		ALLOY/US26D	T2520150FH6D25U
1-1/2"	ALLOY/US4		T2520150FH4U25U	
	1-1/2"		ZINC-PLUS 3	T2520150FHZP25U

1/4-28	1/2"	T27	STAINLESS STEEL	T2528050FHSS27U
	3/4"		ALLOY	T2528075FHAL27U
	3/4"		STAINLESS STEEL	T2528075FHSS27U

5/16-18	3/4"	T30	ZINC	T3118075FHZN30U
	1-1/2"		ZINC	T3118150FHZN30U

3/8-16	1/2"	T40	ALLOY	T3816050FHAL40U
	3/4"		ALLOY	T3816075FHAL40U
	3/4"		ZINC-PLUS 3	T3816075FHZP40U
	1"		ALLOY	T3816100FHAL40U
	1"		STAINLESS STEEL	T3816100FHSS40U

Properly measure your Undercut Flat Head Machine Screw



Measure from top of head

To bottom of screw

* Denotes #12 Head Size

More sizes may be available than listed above. Contact a sales rep today for a quote!

Contact Sentry by phone at (888) 693 2646 or by email at Sales@SentrySF.com



SENTRY
Security Fasteners Inc.

version 2.01

Torx T/R - Flat Head Sheet Metal Screw




THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
#6	1/2"	T15	ALLOY	T0620050FHAL15
	1/2"		STAINLESS STEEL	T0620050FHSS15
	5/8"		STAINLESS STEEL	T0620063FHSS15
	3/4"		ALLOY	T0620075FHAL15
	3/4"		STAINLESS STEEL	T0620075FHSS15
	1"		ALLOY	T0620100FHAL15
	1"		STAINLESS STEEL	T0620100FHSS15
	1"		SSTL/US4	T0620100FH4L15
	1-1/2"		ALLOY	T0620150FHAL15
	1-1/2"		STAINLESS STEEL	T0620150FHSS15
2"	ALLOY	T0620200FHAL15		

#8	1/2"	T20	ALLOY	T0818050FHAL20
	1/2"		STAINLESS STEEL	T0818050FHSS20
	5/8"		ALLOY	T0818063FHAL20
	5/8"		STAINLESS STEEL	T0818063FHSS15
	3/4"		ALLOY	T0818075FHAL20
	3/4"		STAINLESS STEEL	T0818075FHSS20
	1"		ALLOY	T0818100FHAL20
	1"		STAINLESS STEEL	T0818100FHSS20
	1-1/4"		ALLOY	T0818125FHAL20
	1-1/4"		STAINLESS STEEL	T0818125FHSS20
	1-1/2"		ALLOY	T0818150FHAL20
	1-1/2"		STAINLESS STEEL	T0818150FHSS20
	1-3/4"		ALLOY	T0818175FHAL20
	1-3/4"		STAINLESS STEEL	T0818175FHSS20
	2"		ALLOY	T0818200FHAL20
2"	STAINLESS STEEL	T0818200FHSS20		

#10	1/2"	T25	ALLOY	T1016050FHAL25
	1/2"		STAINLESS STEEL	T1016050FHSS25
	3/4"		ALLOY	T1016075FHAL25
	3/4"		STAINLESS STEEL	T1016075FHSS25
	3/4"		ZINC	T1016075FHZN25
	1"		ALLOY	T1016100FHAL25
	1"		STAINLESS STEEL	T1016100FHSS25
	1"		ALLOY/US4	T1016100FH4U25
	1-1/4"		ALLOY	T1016125FHAL25
	1-1/4"		STAINLESS STEEL	T1016125FHSS25
	1-1/2"		ALLOY	T1016150FHAL25
	1-1/2"		STAINLESS STEEL	T1016150FHSS25
	1-1/2"		ALLOY/US4	T1016150FH4U25
	2"		STAINLESS STEEL	T1016200FHSS25
	2"		ZINC	T1016200FHZN25

#12	1"	T25	ALLOY/US10B	T1214100FH1B25
	1"		ALLOY/US26D	T1214100FH6D25
	1"		ALLOY	T1214100FHAL25
	1"		STAINLESS STEEL	T1214100FHSS25
	1"		ALLOY/US4	T1214100FH4U25
	1-1/2"	T27	ALLOY	T1214150FHAL27
	1-1/2"		STAINLESS STEEL	T1214150FHSS27
	1-1/2"		ALLOY/US4	T1214150FH4U27
	1-1/2"		ZINC-PLUS 3	T1214150FHZP27
	2"		STAINLESS STEEL	T1214200FHSS27
	2-1/2"		STAINLESS STEEL	T1214250FHSS27
	3"		STAINLESS STEEL	T1214300FHSS25

Properly measure your Flat Head Sheet Metal Screw



Measure from top of head

To bottom of screw

THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
#14	5/8"	T30	ALLOY	T1414063FHAL30
	5/8"		STAINLESS STEEL	T1414063FHSS30
	3/4"		ALLOY	T1414075FHAL30
	3/4"		STAINLESS STEEL	T1414075FHSS30
	1"		ALLOY	T1414100FHAL30
	1"		STAINLESS STEEL	T1414100FHSS30
	1-1/4"		ALLOY	T1414125FHAL30
	1-1/4"		STAINLESS STEEL	T1414125FHSS30
	1-1/2"		ALLOY	T1414150FHAL30
	1-1/2"		T27	STAINLESS STEEL
	1-1/2"	T30	STAINLESS STEEL	T1414150FHSS30
	1-1/2"		ALLOY/US4	T1414150FH4U30
	2"		STAINLESS STEEL	T1414200FHSS30
	2"		ZINC	T1414200FHZN30
	3"		STAINLESS STEEL	T1414300FHSS30

More sizes may be available than listed above. Contact a sales rep today for a quote!

Contact Sentry by phone at (888) 693 2646 or by email at Sales@SentrySF.com



SENTRY
Security Fasteners Inc.

version 2.01

Torx T/R - Flat Head Self-Drill Screw



THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
#8	1/2"	T15	STAINLESS STEEL	T0818050FH4S15D
	1-1/4"		ZINC	T0818125FHZN15D
	1-1/2"		STAINLESS STEEL	T0818150FH4S15D
#10	1/2"	T20	ZINC	T1016050FHZN20DU
	1"		STAINLESS STEEL	T1016100FH4S20D
	1-1/2"		ZINC	T1016150FHZN20D
	2"		ZINC	T1016200FHZN20D
#12	1"	T25	STAINLESS STEEL	T1214100FH4S25D
	2-1/2"		STAINLESS STEEL	T1214250FH4S25D
12-24	11/16"	T20	ZINC	T1224069FHZN20DU
#14	1"	T27	ZINC	T1414100FHZN27D

Properly measure your Flat Head Self-Drill Screw



Measure from top of head

To bottom of screw

Torx T/R - Flat Head Self-Tapping Screw

THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
1/4-20	1/2"	T25	ZINC-PLUS 3	T2520050FHZP25S

Properly measure your Flat Head Self-Tapping Screw



Measure from top of head

To bottom of screw

More sizes may be available than listed above. Contact a sales rep today for a quote!
 Contact Sentry by phone at (888) 693 2646 or by email at Sales@SentrySF.com



SENTRY
 Security Fasteners Inc.

version 2.01

Torx T/R - Oval Head Machine Screw



THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
8-32	1-1/2"	T20	ALLOY	T0832150OHAL20
	1-1/2"		ZINC-PLUS 3	T0832150OHZP20

10-24	1/2"	T15	ALLOY/US26D	T1024050OH6D15
	1/2"		ALLOY	T1024050OHAL15
	1/2"		ALLOY/US4	T1024050OH4U15

Properly measure your Oval Head Machine Screw



Measure from widest point on head

To bottom of screw


Torx T/R - Undercut Oval Head Machine Screw

THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
6-32	3/8"	T9	ALLOY/US10B	T0632038OH1B09U
	3/8"		ALLOY/US26D	T0632038OH6D09U
	3/8"		ALLOY	T0632038OHAL09U
	3/8"		ALLOY/US4	T0632038OH4U09U
	1/2"	T10	STAINLESS STEEL	T0632050OHSS10U

1/4-20	5/16"	T25	STAINLESS STEEL	T2520031OHSS25U
	5/16"		SSTL/US4	T2520031OH4L25U
	1/2"	T27	STAINLESS STEEL	T2520050OHSS27U

3/8-16	5/8"	T40	ALLOY/US26D	T3816063OH6D40U
	5/8"		STAINLESS STEEL	T3816063OHSS40U
	5/8"		ZINC	T3816063OHZN40U

Properly measure your Undercut Oval Head Machine Screw



Measure from widest point on head

To bottom of screw

More sizes may be available than listed above. Contact a sales rep today for a quote!

Contact Sentry by phone at (888) 693 2646 or by email at Sales@SentrySF.com



SENTRY
Security Fasteners Inc.

version 2.01

Torx T/R - Oval Head Sheet Metal Screw



THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
#8	1"	T20	ZINC	T0818100OHZN20
	1-1/2"		ZINC-PLUS 3	T0818150OHZP20
	1-3/4"		ZINC	T0818175OHZN20

Properly measure your Oval Head Sheet Metal Screw



Measure from widest point on head

To bottom of screw

Torx T/R - Undercut Oval Head Sheet Metal Screw

THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
#6	5/8"	T10	STAINLESS STEEL	T0620063OHSS10HU
	5/8"		SSTL/US4	T0620063OH4L10HU

Properly measure your Undercut Oval Head Sheet Metal Screw



Measure from widest point on head

To bottom of screw

More sizes may be available than listed above. Contact a sales rep today for a quote!
 Contact Sentry by phone at (888) 693 2646 or by email at Sales@SentrySF.com



SENTRY
 Security Fasteners Inc.

version 2.01

Torx T/R - Oval Head Self-Drill Screw



THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
#6	1-1/4"	T15	ZINC	T0620125OHZN15D

8-32	1-1/4"	T20	ALLOY	T0832125OHAL20D
	1-1/2"		ZINC-PLUS 3	T0832150OHZP20

Properly measure your Oval Head Self-Drilling Screw



Measure from widest point on head

To bottom of screw

Torx T/R - Oval Head Self-Tapping Screw

THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
8-32	1"	T15	ZINC	T0832100OHZN15S

Properly measure your Oval Head Self-Tapping Screw



Measure from widest point on head

To bottom of screw

More sizes may be available than listed above. Contact a sales rep today for a quote!
 Contact Sentry by phone at (888) 693 2646 or by email at Sales@SentrySF.com



SENTRY®
Security Fasteners Inc.

version 2.01

Torx T/R - Truss Head Machine Screw



THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
10-24	1/2"	T25	STAINLESS STEEL	T1024050THSS25H *
	1-1/2"	T20	STAINLESS STEEL	T1024150THSS20
1/4-20	1/2"	T27	ZINC	T2520050THZN27
	3/4"		STAINLESS STEEL	T2520075THSS27
5/16-18	3/8"	T30	ZINC-PLUS 3	T3118038THZP30
	3/4"		ZINC-PLUS 3	T3118075THZP30

* Denotes 0.43" Head Size

Properly measure your Truss Head Machine Screw




Measure from Bottom of head

To bottom of screw

Torx T/R - Truss Head Self-Tapping Screw

THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
1/4-20	3/4"	T30	ZINC-PLUS 3	T2520075THZP30T
	1"		ZINC-PLUS	T2520100THZP30T
	1-1/2"	T27	ZINC-PLUS 3	T2520150THZP27T

Properly measure your Truss Head Self-Tapping Screw



Measure from Bottom of head

To bottom of screw



More sizes may be available than listed above. Contact a sales rep today for a quote!

Contact Sentry by phone at (888) 693 2646 or by email at Sales@SentrySF.com



SENTRY
Security Fasteners Inc.

version 2.01

Torx T/R - Button Head Machine Screw




THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
4-40	1/4"	T8	STAINLESS STEEL	T0440025BHSS08
	3/8"		STAINLESS STEEL	T0440038BHSS08
	1/2"		STAINLESS STEEL	T0440050BHSS08
	3/4"		STAINLESS STEEL	T0440075BHSS08
	1"		STAINLESS STEEL	T0440100BHSS08

6-32	1/4"	T10	ALLOY	T0632025BHAL10
	1/4"		STAINLESS STEEL	T0632025BHSS10
	3/8"		ALLOY	T0632038BHAL10
	3/8"		STAINLESS STEEL	T0632038BHSS10
	1/2"		ALLOY	T0632050BHAL10
	1/2"		STAINLESS STEEL	T0632050BHSS10
	5/8"		STAINLESS STEEL	T0632063BHSS10
	3/4"		ALLOY	T0632075BHAL10
	3/4"		STAINLESS STEEL	T0632075BHSS10
	1"		ALLOY	T0632100BHAL10
	1"		STAINLESS STEEL	T0632100BHSS10
	1-1/2"		ALLOY	T0632150BHAL10
	1-1/2"		STAINLESS STEEL	T0632150BHSS10
2"	STAINLESS STEEL	T0632200BHSS10		

8-32	1/4"	T15	ALLOY	T0832025BHAL15
	1/4"		STAINLESS STEEL	T0832025BHSS15
	5/16"		STAINLESS STEEL	T0832031BHSS15
	3/8"		ALLOY	T0832038BHAL15
	3/8"		STAINLESS STEEL	T0832038BHSS15
	1/2"		ALLOY	T0832050BHAL15
	1/2"		STAINLESS STEEL	T0832050BHSS15
	1/2"		ZINC	T0832050BHZN15
	5/8"		ALLOY	T0832063BHAL15
	3/4"		ALLOY	T0832075BHAL15
	3/4"		STAINLESS STEEL	T0832075BHSS15
	1"		ALLOY	T0832100BHAL15
	1"		STAINLESS STEEL	T0832100BHSS15
	1-1/4"		ALLOY	T0832125BHAL15
	1-1/4"		STAINLESS STEEL	T0832125BHSS15
	1-1/2"		ALLOY	T0832150BHAL15
	1-1/2"		STAINLESS STEEL	T0832150BHSS15
	1-3/4"		STAINLESS STEEL	T0832175BHSS15
	2"		ALLOY	T0832200BHAL15
	2"		STAINLESS STEEL	T0832200BHSS15
2"	ZINC	T0832200BHZN15		

10-24	3/8"	T25	ALLOY	T1024038BHAL25
	3/8"		STAINLESS STEEL	T1024038BHSS25
	1/2"		ALLOY	T1024050BHAL25
	1/2"		STAINLESS STEEL	T1024050BHSS25
	5/8"		STAINLESS STEEL	T1024063BHSS25
	3/4"		ALLOY	T1024075BHAL25
	3/4"		STAINLESS STEEL	T1024075BHSS25
	1"		ALLOY	T1024100BHAL25
	1"		STAINLESS STEEL	T1024100BHSS25
	1"		ZINC	T1024100BHZN25
	1-1/4"		ALLOY	T1024125BHAL25
	1-1/4"		STAINLESS STEEL	T1024125BHSS25
	1-1/2"		ALLOY	T1024150BHAL25
	1-1/2"		STAINLESS STEEL	T1024150BHSS25
	1-1/2"		ZINC	T1024150BHZN25
	2"		STAINLESS STEEL	T1024200BHSS25
2"	ZINC	T1024200BHZN25		

Properly measure your Button Head Machine Screw



Measure from bottom of head

To bottom of screw

THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
10-32	3/16"	T25	STAINLESS STEEL	T1032019BHSS25
	1/4"		STAINLESS STEEL	T1032025BHSS25
	3/8"		ALLOY	T1032038BHAL25
	3/8"		STAINLESS STEEL	T1032038BHSS25
	1/2"		ALLOY	T1032050BHAL25
	1/2"		STAINLESS STEEL	T1032050BHSS25
	1/2"		ZINC	T1032050BHZN25
	5/8"		STAINLESS STEEL	T1032063BHSS25
	3/4"		ALLOY	T1032075BHAL25
	3/4"		STAINLESS STEEL	T1032075BHSS25
	1"		ALLOY	T1032100BHAL25
	1"		STAINLESS STEEL	T1032100BHSS25
	1-1/4"		ALLOY	T1032125BHAL25
	1-1/4"		STAINLESS STEEL	T1032125BHSS25
	1-1/2"		ALLOY	T1032150BHAL25
	1-1/2"		STAINLESS STEEL	T1032150BHSS25
1-3/4"	ALLOY	T1032175BHAL25		
2"	STAINLESS STEEL	T1032200BHSS25		

12-24	1/2"	T25	ALLOY	T1224050BHAL25
	1/2"		STAINLESS STEEL	T1224050BHSS25
	3/4"		ALLOY	T1224075BHAL25
	3/4"	STAINLESS STEEL	T1224075BHSS25	
	1"	T20	ALLOY	T1224100BHAL20
	1"	T25	STAINLESS STEEL	T1224100BHSS25
	1-1/2"		ZINC	T1224150BHZN25

More sizes may be available than listed above. Contact a sales rep today for a quote!

Contact Sentry by phone at (888) 693 2646 or by email at Sales@SentrySF.com



SENTRY
Security Fasteners Inc.

Torx T/R - Button Head Machine Screw




THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
1/4-20	1/4"	T27	ALLOY	T2520025BHAL27
	1/4"		STAINLESS STEEL	T2520025BHSS27
	5/16"		STAINLESS STEEL	T2520031BHSS27
	3/8"		ALLOY	T2520038BHAL27
	3/8"		STAINLESS STEEL	T2520038BHSS27
	1/2"		ALLOY	T2520050BHAL27
	1/2"		STAINLESS STEEL	T2520050BHSS27
	1/2"		ZINC-PLUS 3	T2520050BHZP27
	5/8"		ALLOY	T2520063BHAL27
	5/8"		STAINLESS STEEL	T2520063BHSS27
	3/4"		ALLOY	T2520075BHAL27
	3/4"		STAINLESS STEEL	T2520075BHSS27
	3/4"		ZINC-PLUS 3	T2520075BHZP27
	1"		ALLOY	T2520100BHAL27
	1"		STAINLESS STEEL	T2520100BHSS27
	1"		ZINC	T2520100BHZN27
	1-1/16"		BLACK OXIDE	T2520106BHAL27
	1-1/4"		ALLOY	T2520125BHAL27
	1-1/4"		STAINLESS STEEL	T2520125BHSS27
	1-1/4"		ALLOY/US4	T2520125BH4U27
	1-1/2"		ALLOY	T2520150BHAL27
	1-1/2"		STAINLESS STEEL	T2520150BHSS27
	1-1/2"		ZINC-PLUS 3	T2520150BHZN27
	1-3/4"		STAINLESS STEEL	T2520175BHSS27
	2"		ALLOY	T2520200BHAL27
	2"		STAINLESS STEEL	T2520200BHSS27
	2"		ZINC	T2520200BHZN27
	2-1/4"		STAINLESS STEEL	T2520225BHSS27
	2-1/2"		STAINLESS STEEL	T2520250BHSS27
	2-1/2"		ALLOY	T2520250BHAL27
2-1/2"	ZINC	T2520250BHZN27		
3"	ALLOY	T2520300BHAL27		
3"	STAINLESS STEEL	T2520300BHSS27		
3"	ZINC	T2520300BHZN27		

1/4-28	1/2"	T27	STAINLESS STEEL	T2528050BHSS27
	3/4"		STAINLESS STEEL	T2528075BHSS27
	3/4"		ZINC-PLUS 3	T2528075BHZN27
	2"		STAINLESS STEEL	T2528200BHSS27

5/16-18	1/2"	T40	STAINLESS STEEL	T3118050BHSS40
	1/2"		ALLOY	T3118050BHAL40
	3/4"		ALLOY	T3118075BHAL40
	3/4"		STAINLESS STEEL	T3118075BHSS40
	3/4"		ZINC	T3118075BHZN40
	1"		STAINLESS STEEL	T3118100BHSS40
	1"		ZINC	T3118100BHZN40
	1-1/4"		ALLOY	T3118125BHAL40
	1-1/2"		STAINLESS STEEL	T3118150BHSS40
	1-1/2"		ALLOY	T3118150BHAL40
	1-1/2"	ZINC	T3118150BHZN40	
	1-3/4"	ALLOY	T3118175BHAL30	
	1-3/4"	ZINC-PLUS	T3118175BHZN30	
	2"	STAINLESS STEEL	T3118200BHSS40	
	2"	ZINC-PLUS 3	T3118200BHZN40	
	2-1/2"	STAINLESS STEEL	T3118250BHSS40	
	2-1/2"	ZINC	T3118250BHZN40	
	3"	STAINLESS STEEL	T3118300BHSS40	
	3"	ZINC	T3118300BHZN40	

Properly measure your Button Head Machine Screw



Measure from bottom of head

To bottom of screw

THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
5/16-24	3/4"	T40	ZINC	T3124075BHZN40
	1"		ALLOY	T3124100BHAL40

3/8-16	1/2"	T45	STAINLESS STEEL	T3816050BHSS45
	3/4"		STAINLESS STEEL	T3816075BHSS45
	3/4"		ZINC	T3816075BHZN45
	1"		ALLOY	T3816100BHAL45
	1"		STAINLESS STEEL	T3816100BHSS45
	1"		ZINC-PLUS 3	T3816100BHZN45
	1-1/4"		STAINLESS STEEL	T3816125BHSS45
	1-1/4"		ZINC	T3816125BHZN45
	1-1/2"		STAINLESS STEEL	T3816150BHSS45
	1-1/2"		ZINC	T3816150BHZN45
	2"		STAINLESS STEEL	T3816200BHSS45
	2"		ZINC	T3816200BHZN45
	2-1/2"		STAINLESS STEEL	T3816250BHSS45
	2-1/2"		ZINC	T3816250BHZN45

1/2-13	3/4"	T55	ZINC	T5013075BHZN55
	1"		STAINLESS STEEL	T5013100BHSS55
	1"		ZINC-PLUS 3	T5013100BHZN55
	1-1/2"		ZINC	T5013150BHZN55
	1-1/2"		STAINLESS STEEL	T5013150BHSS55
	2"		STAINLESS STEEL	T5013200BHSS55
	2"		ZINC	T5013200BHZN55
	3"		STAINLESS STEEL	T5013300BHSS55
	3"		ZINC	T5013300BHZN55

More sizes may be available than listed above. Contact a sales rep today for a quote!

Contact Sentry by phone at (888) 693 2646 or by email at Sales@SentrySF.com



SENTRY
Security Fasteners Inc.

Torx T/R - Oval Head Sheet Metal Screw




THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
#6	1/2"	T10	C.H.STEEL/US10B	T0620050BH1B10
	1/2"		C.H.STEEL	T0620050BHAL10
	1/2"		STAINLESS STEEL	T0620050BHSS10
	1/2"		C.H.STEEL/US4	T0620050BH4L10
	3/4"		C.H.STEEL	T0620075BHAL10
	3/4"		STAINLESS STEEL	T0620075BHSS10
	3/4"		C.H.STEEL/US4	T0620075BH4U10
	1"		C.H.STEEL	T0620100BHAL10
	1"		STAINLESS STEEL	T0620100BHSS10
	1"		ZINC-PLUS 3	T0620100BH3P10
	1-1/2"		C.H.STEEL	T0620150BHAL10
	1-1/2"		STAINLESS STEEL	T0620150BHSS10
	2"		C.H.STEEL	T0620200BHAL10
	2"		STAINLESS STEEL	T0620200BHSS10

#8	3/8"	T15	C.H.STEEL	T0818038BHAL15
	3/8"		STAINLESS STEEL	T0818038BHSS15
	1/2"		C.H.STEEL	T0818050BHAL15
	1/2"		STAINLESS STEEL	T0818050BHSS15
	3/4"		C.H.STEEL	T0818075BHAL15
	3/4"		STAINLESS STEEL	T0818075BHSS15
	3/4"		C.H.STEEL/NICKEL	T0818075BHN15
	3/4"		ZINC-PLUS 3	T0818075BH3P15
	1"		C.H.STEEL	T0818100BHAL15
	1"		STAINLESS STEEL	T0818100BHSS15
	1"		ZINC	T0818100BHZN15
	1-1/4"		C.H.STEEL	T0818125BHAL15
	1-1/4"		STAINLESS STEEL	T0818125BHSS15
	1-1/2"		C.H.STEEL	T0818150BHAL15
	1-1/2"		STAINLESS STEEL	T0818150BHSS15
	1-1/2"		ZINC	T0818150BHZN15

#10	1/2"	T25	C.H.STEEL	T1016050BHAL25	
	1/2"		STAINLESS STEEL	T1016050BHSS25	
	1/2"		ZINC	T1016050BHZN25	
	5/8"		C.H.STEEL	T1016063BHAL25	
	5/8"		STAINLESS STEEL	T1016063BHSS25	
	3/4"		C.H.STEEL	T1016075BHAL25	
	3/4"		STAINLESS STEEL	T1016075BHSS25	
	3/4"		ZINC	T1016075BHZN25	
	1"		C.H.STEEL	T1016100BHAL25	
	1"		STAINLESS STEEL	T1016100BHSS25	
	1"		ZINC	T1016100BHZN25	
	1-1/4"		C.H.STEEL	T1016125BHAL25	
	1-1/4"		STAINLESS STEEL	T1016125BHSS25	
	1-1/2"		C.H.STEEL	T1016150BHAL25	
	1-1/2"		STAINLESS STEEL	T1016150BHSS25	
	1-1/2"		ZINC	T1016150BHZN25	
	2"		C.H.STEEL	T1016200BHAL25	
	2"		STAINLESS STEEL	T1016200BHSS25	
	2"		ZINC	T1016200BHZN25	
	2-1/2"		STAINLESS STEEL	T1016250BHSS25	
	2-1/2"		T27	ZINC	T1016250BHZN27
	3"		T25	ZINC	T1016300BHZN25

Properly measure your Button Head Sheet Metal Screw



Measure from bottom of head

To bottom of screw

THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
#12	1/2"	T25	STAINLESS STEEL	T1214050BHSS25
	5/8"		STAINLESS STEEL	T1214063BHSS25
	3/4"		STAINLESS STEEL	T1214075BHSS25
	1"		STAINLESS STEEL	T1214100BHSS25
	1-1/4"		STAINLESS STEEL	T1214125BHSS25
	1-1/2"		STAINLESS STEEL	T1214150BHSS25
	2"	STAINLESS STEEL	T1214200BHSS25	
	2-1/2"	T27	STAINLESS STEEL	T1214250BHSS27
	3"	STAINLESS STEEL	T1214300BHSS27	

#14	1/2"	T27	C.H.STEEL	T1414050BHAL27
	1/2"		STAINLESS STEEL	T1414050BHSS27
	3/4"		C.H.STEEL	T1414075BHAL27
	3/4"		STAINLESS STEEL	T1414075BHSS27
	3/4"		ZINC	T1414075BHZN27
	1"		C.H.STEEL	T1414100BHAL27
	1"		STAINLESS STEEL	T1414100BHSS27
	1"		ZINC	T1414100BHZN27
	1-1/4"		C.H.STEEL	T1414125BHAL27
	1-1/4"		STAINLESS STEEL	T1414125BHSS27
	1-1/2"		C.H.STEEL	T1414150BHAL27
	1-1/2"		STAINLESS STEEL	T1414150BHSS27
	2"		STAINLESS STEEL	T1414200BHSS27
	2"		ZINC	T1414200BHZN27
	2-1/2"		STAINLESS STEEL	T1414250BHSS27
	3"		STAINLESS STEEL	T1414300BHSS27
3"	ZINC	T1414300BHZN27		

More sizes may be available than listed above. Contact a sales rep today for a quote!

Contact Sentry by phone at (888) 693 2646 or by email at Sales@SentrySF.com



SENTRY
Security Fasteners Inc.

Torx T/R - Button Head Self-Drill Screw



THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
#8	1/2"	T20	ZINC-PLUS	T0818050BHHP20D
	3/4"		ZINC-PLUS 3	T0818075BHHP20D
	1"		ZINC-PLUS	T0818100BHHP20D
	1-1/2"		ZINC-PLUS 3	T0818150BHHP20D

#10	1/2"	T25	ZINC	T1016050BHZN25D
	1"		ZINC-PLUS 3	T1016100BHHP25D
	1-1/2"		ZINC	T1016150BHZN25D
	2"		ZINC	T1016200BHZN25D

#12	1"	T25	ZINC	T1214100BHZN25D
	1-1/2"		ZINC	T1214150BHZN25D

#14	3/4"	T27	ZINC	T1414075BHZN27D
	1"		ZINC	T1414100BHZN27D
	2"		ZINC	T1414200BHZN27D

1/4-28	3/4"	T27	ZINC-PLUS 3	T2528075BHHP27D
	1-1/4"		ZINC-PLUS 3	T2528125BHHP27D
	1-1/2"		ZINC-PLUS 3	T2528150BHHP27D

Properly measure your Button Head Self-Drill Screw



Measure from bottom of head

To bottom of screw

Torx T/R - Button Head Self-Tapping Screw

THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
1/4-20	3/4"	T27	ZINC-PLUS 3	T2520075BHHP27S
	3/4"	T30	ZINC-PLUS 3	T2520075BHHP30S

1/4-28	3/4"	T27	ZINC-PLUS 3	T2528075BHHP27S
--------	------	-----	-------------	-----------------

Properly measure your Button Head Self-Tapping Screw



Measure from bottom of head

To bottom of screw

More sizes may be available than listed above. Contact a sales rep today for a quote!

Contact Sentry by phone at (888) 693 2646 or by email at Sales@SentrySF.com



SENTRY
Security Fasteners Inc.

version 2.01

Torx T/R - Pan Head Self-Drill Screw



THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
#8	1/2"	T20	410-SS	T0818050PH4S20D
	3/4"		410-SS	T0818075PH4S20D
	1"		410-SS	T0818100PH4S20D
	1-1/4"		410-SS	T0818125PH4S20D
	1-1/2"		410-SS	T0818150PH4S20D

#10	1/2"	T25	410-SS	T1016050PH4S25D
	3/4"		410-SS	T1016075PH4S25D
	1"		410-SS	T1016100PH4S25D
	1-1/4"		410-SS	T1016125PH4S25D
	1-1/2"		410-SS	T1016150PH4S25D
	2"		410-SS	T1016200PH4S25D

#12	3/4"	T27	410-SS	T1214075PH4S27D
	1"		410-SS	T1214100PH4S27D
	1-1/4"		410-SS	T1214125PH4S27D
	1-1/2"		410-SS	T1214150PH4S27D
	1-1/2"		ZINC	T1214150PHZN27D
	2"		410-SS	T1214200PH4S27D

#14	3/4"	T30	410-SS	T1414075PH4S30D
	1"		410-SS	T1414100PH4S30D
	1-1/4"		410-SS	T1414125PH4S30D
	1-1/2"		410-SS	T1414150PH4S30D
	2"		410-SS	T1414200PH4S30D

Properly measure your Pan Head Self-Drill Screw



Measure bottom of head

To bottom of screw

More sizes may be available than listed above. Contact a sales rep today for a quote!
 Contact Sentry by phone at (888) 693 2646 or by email at Sales@SentrySF.com



SENTRY®
 Security Fasteners Inc.

version 2.01

Torx T/R - Metric Button Head Machine Screw




THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
M3-0.5	10mm	T8	STAINLESS STEEL	TM03-05-10BHSS08
	12mm		STAINLESS STEEL	TM03-05-12BHSS08
	16mm		STAINLESS STEEL	TM03-05-16BHSS08

M4-0.7	10mm	T15	ALLOY	TM04-07-10BHAL15
	10mm		STAINLESS STEEL	TM04-07-10BHSS15
	12mm		ALLOY	TM04-07-12BHAL15
	12mm		STAINLESS STEEL	TM04-07-12BHSS15
	16mm		ALLOY	TM04-07-16BHAL15
	16mm		STAINLESS STEEL	TM04-07-16BHSS15
	20mm		ALLOY	TM04-07-20BHAL15
	20mm		STAINLESS STEEL	TM04-07-20BHSS15
	25mm		ALLOY	TM04-07-25BHAL15
	25mm		STAINLESS STEEL	TM04-07-25BHSS15
	30mm		ALLOY	TM04-07-30BHAL15
	30mm		STAINLESS STEEL	TM04-07-30BHSS15
	40mm		ALLOY	TM04-07-40BHAL15
	40mm		STAINLESS STEEL	TM04-07-40BHSS15

M5-0.8	10mm	T25	STAINLESS STEEL	TM05-08-10BHSS25
	12mm		ALLOY	TM05-08-12BHAL25
	12mm		STAINLESS STEEL	TM05-08-12BHSS25
	16mm		STAINLESS STEEL	TM05-08-16BHSS25
	20mm		ALLOY	TM05-08-20BHAL25
	20mm		STAINLESS STEEL	TM05-08-20BHSS25
	25mm		ALLOY	TM05-08-25BHAL25
	25mm		STAINLESS STEEL	TM05-08-25BHSS25
	30mm		ALLOY	TM05-08-30BHAL25
	30mm		STAINLESS STEEL	TM05-08-30BHSS25
	40mm		ALLOY	TM05-08-40BHAL25
	40mm		STAINLESS STEEL	TM05-08-40BHSS25
	50mm		STAINLESS STEEL	TM05-08-50BHSS25

M6-1.0	12mm	T27	ALLOY	TM06-10-12BHAL27
	12mm		STAINLESS STEEL	TM06-10-12BHSS27
	16mm		ALLOY	TM06-10-16BHAL27
	16mm		STAINLESS STEEL	TM06-10-16BHSS27
	20mm		STAINLESS STEEL	TM06-10-20BHSS27
	25mm		ALLOY	TM06-10-25BHAL27
	25mm		STAINLESS STEEL	TM06-10-25BHSS27
	30mm		ALLOY	TM06-10-30BHAL27
	30mm		STAINLESS STEEL	TM06-10-30BHSS27
	40mm		ALLOY	TM06-10-40BHAL27
	40mm		STAINLESS STEEL	TM06-10-40BHSS27
	45mm		ALLOY	TM06-10-45BHAL27
	50mm		ALLOY	TM06-10-50BHAL27
	50mm		STAINLESS STEEL	TM06-10-50BHSS27
	60mm		STAINLESS STEEL	TM06-10-60BHSS27

Properly measure your Metric Button Head Machine Screw



Measure from bottom of head

To bottom of screw

More sizes may be available than listed above. Contact a sales rep today for a quote!

Contact Sentry by phone at (888) 693 2646 or by email at Sales@SentrySF.com



SENTRY
Security Fasteners Inc.

version 2.01

Torx T/R - Metric Flat Head Machine Screw



THREAD SIZE	LENGTH	DRIVER BIT NO.	MATERIAL/ FINISH	PART NUMBER
M3-0.5	6mm	T10	STAINLESS STEEL	TM03-05-06FHSS10
	8mm		STAINLESS STEEL	TM03-05-08FHSS10
	10mm		STAINLESS STEEL	TM03-05-10FHSS10
	16mm		STAINLESS STEEL	TM03-05-16FHSS10


M3-0.5	12mm	T15	STAINLESS STEEL	TM03-05-12FHSS15
--------	------	-----	-----------------	------------------

M4-0.7	10mm	T20	STAINLESS STEEL	TM04-07-10FHSS20
	12mm		STAINLESS STEEL	TM04-07-12FHSS20
	16mm		STAINLESS STEEL	TM04-07-16FHSS20
	20mm		STAINLESS STEEL	TM04-07-20FHSS20
	25mm		STAINLESS STEEL	TM04-07-25FHSS20
	30mm		STAINLESS STEEL	TM04-07-30FHSS20
	40mm		STAINLESS STEEL	TM04-07-40FHSS20

M5-0.8	10mm	T25	STAINLESS STEEL	TM05-08-10FHSS25
	12mm		STAINLESS STEEL	TM05-08-12FHSS25
	16mm		STAINLESS STEEL	TM05-08-16FHSS25
	20mm		STAINLESS STEEL	TM05-08-20FHSS25
	25mm		STAINLESS STEEL	TM05-08-25FHSS25
	30mm		STAINLESS STEEL	TM05-08-30FHSS25
	40mm		STAINLESS STEEL	TM05-08-40FHSS25
	50mm		STAINLESS STEEL	TM05-08-50FHSS25

M6-1.0	12mm	T30	STAINLESS STEEL	TM06-10-12FHSS30
	16mm		STAINLESS STEEL	TM06-10-16FHSS30
	20mm		STAINLESS STEEL	TM06-10-20FHSS30
	25mm		STAINLESS STEEL	TM06-10-25FHSS30
	30mm		STAINLESS STEEL	TM06-10-30FHSS30
	40mm		STAINLESS STEEL	TM06-10-40FHSS30
	50mm		STAINLESS STEEL	TM06-10-50FHSS30
	60mm		STAINLESS STEEL	TM06-10-60FHSS30

Properly measure your Metric Flat Head Machine Screw



Measure from top of head

To bottom of screw

More sizes may be available than listed above. Contact a sales rep today for a quote!

Contact Sentry by phone at (888) 693 2646 or by email at Sales@SentrySF.com



SENTRY
Security Fasteners Inc.

version 2.01